

Printing date 03/23/2023

Revision date 03/23/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Taurocholic Acid-d4 MaxSpec® Standard
- Article number: 31375
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

· Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	H370 Causes damage to the central nervous
opeome rarger organ roxiery - omgie Exposure r	system and the visual organs.
	(Contd. on page

Printing date 03/23/2023

Revision date 03/23/2023

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

	(Contd. from page 1)
· Label element	
GHS label eler	
The product is • Hazard pictog	classified and labeled according to the Globally Harmonized System (GHS). Jrams
\wedge	
~ { 	
GHS02 GHS	506 GHS08
· Signal word D	Danger
 Hazard-detern Methanol 	nining components of labeling:
 Hazard statem 	
H225	Highly flammable liquid and vapor.
	1331 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
• Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241 P242	Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378 P403+P233	In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 Classification 	•
 NFPA ratings 	
· · ·	
	lealth = 2
	ire = 3 teactivity = 0
\checkmark \checkmark	-
· HMIS-ratings	
	Health = *2
	Fire = 3
	Reactivity = 0
	(Contd. on page 3)

US

Printing date 03/23/2023

Revision date 03/23/2023

(Contd. from page 2)

99.99%

0.01%

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

RTECS: PC1400000

Other ingredients

252030-90-3 Taurocholic Acid-d4

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

67-56-1During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 03/23/2023

Revision date 03/23/2023

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

(Contd. from page 3)

Accidental release measures	
· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders	, sawdust).
Dispose contaminated material as waste according to section 13.	· · · · ·
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
67-56-1 Methanol	530 ppn
PAC-2:	
67-56-1 Methanol	2,100 ppn
PAC-3:	
67-56-1 Methanol	7200* ppn
67-56-1 Methanol	7200* ppn
	7200* ppn
67-56-1 Methanol 7 Handling and storage	7200* ppn
67-56-1 Methanol 7 Handling and storage • Handling:	7200* ppn
67-56-1 Methanol 7 Handling and storage	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling	7200* ppn
67-56-1 Methanol	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace.	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.	7200* ppn
 67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: 	7200* ppn
 67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. 	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.	7200* ppn
 67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. 	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed.	7200* ppn
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.	
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.	
67-56-1 Methanol Handling and storage • Handling: • Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert. • Storage: Store in accordance with information listed on the product insert. • Requirements to be met by storerooms and receptacles: Store in a cool location	
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in accordance with information listed on the product insert. Storage: Store in accordance with information listed on the product insert. Requirements to be met by storerooms and receptacles: Store in a cool location Information about storage in one common storage facility: Not required.	
67-56-1 Methanol Handling and storage Handling: Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert. Store in accordance with information listed on the product insert. Requirements to be met by storerooms and receptacles: Store in a cool locatio Information about storage in one common storage facility: Not required. Further information about storage conditions:	

Revision date 03/23/2023

(Contd. from page 4)

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Printing date 03/23/2023

Components with limit values that require monitoring at the workplace:		
67-56	6-1 Methanol	
PEL	Long-term value: 260 mg/m³, 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI	
· Ingre	edients with biological limit values:	
67-56	6-1 Methanol	
	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)	
· Addi	tional information: The lists that were valid during the creation were used as basis.	
•	osure controls onal protective equipment:	

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

US

Printing date 03/23/2023

Revision date 03/23/2023

(Contd. from page 5)

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
Structural Formula	C26H41D4NO7S
· Molecular Weight	518.7 g/mol
Odor threshold:	Not determined.
Formulation	A solution in methanol at 100 μg/ml (nominal)
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.

Printing date 03/23/2023

Revision date 03/23/2023

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

		(Contd. from page 6
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	99.99 %	
	789.9 g/l / 6.59 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Oral	LD50	100 mg/kg
Dermal	LD50	300 mg/kg
Inhalative	LC50/4 h	3 mg/l

Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	

Printing date 03/23/2023

Revision date 03/23/2023

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

	Data	(Contd. from page 7) 20 mg/24h (rabbit)
Primary irritant		
on the skin: No		
• on the eye: No i		
	lo sensitizing effects ki	
	ological information	
	ows the following dan	gers according to internally approved calculation methods for
preparations:		
Toxic		
Carcinogenic ca	ategories	
· IARC (Internatio	onal Agency for Rese	arch on Cancer)
None of the ingre	edients is listed.	
· NTP (National T	oxicology Program)	
None of the ingre	edients is listed.	
· OSHA-Ca (Occu	pational Safety & He	alth Administration)
None of the ingre	edients is listed.	

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 9)

Printing date 03/23/2023

Revision date 03/23/2023

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

(Contd. from page 8)

UN-Number	
DOT, IMDG, IATA	UN1230
· UN proper shipping name · DOT, IATA · IMDG	Methanol solution METHANOL solution
· Transport hazard class(es)	
DOT	
· Class · Label	3 Flammable liquids 3, 6.1
·IMDG	
Class	3 Flammable liquids 3/6.1
· Label · IATA	3/0.1
· Class	3 Flammable liquids
· Label	3 (6.1)
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler co EMS Number: Stowage Category Stowage Code 	Warning: Flammable liquids ode): 336 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L

Printing date 03/23/2023

Revision date 03/23/2023

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

(Contd. from page 9
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
When sold in quantities of less than or equal to 1 mL
or 1 g, with an Excepted Quantity Code of
E1, E2, E4, or E5, this item meets the De Minimis
Quantities exemption, per IATA 2.6.10.
Therefore packaging does not have to be labeled as
Dangerous Goods/Excepted Quantity.
UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIV
Hazardous Air Pollutants	
67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

US

Printing date 03/23/2023

Revision date 03/23/2023

Trade name: Taurocholic Acid-d4 MaxSpec® Standard

(Contd. from page 10)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 03/23/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

** Data compared to the previous version altered.